

Sale Name: WALKERWORKS LLC & GARLAND HOME CENTER - THE BIGGEST AUCTION WE'VE EVER DONE. 1,800 LOTS. \$1 STARTING BIDS. EVERYTHING MUST GO. BULLSEYE BARGAINS BIN STORE GRAND OPENING WEEKEND

LOT 290 - [✓] [MSRP: \$56.71] Siemens 20 Amp 1-Pole Type QPF2 GFCI Circuit Breaker



Description

About This Product - Siemens 20 Amp 1-Pole Type QPF2 GFCI Circuit Breaker

Siemens GFCI circuit breakers are UL Listed and CSA Certified as Class A devices. These circuit breakers offer the new Self-Test and Lockout feature as required by UL 943, enabling the GFCI to automatically and continuously test itself to ensure that it is working properly. If it is detected that the device has been compromised, the device trips itself and locks out the homeowner from resetting the device, reducing the possibility of the homeowner incorrectly assuming that the device was tripped to prevent a ground fault.

Highlights

- Single pole, 120-Volt, 20 Amp GFCI circuit breaker
- 10kA interrupting rating
- Includes self-test as required by UL 943 as an added safety feature
- Suitable for a variety of construction applications including spas, hot tubs, kitchens, bathrooms, etc.
- Resists false tripping (shielded to prevent RF interference)
- Provides class A GFCI protection
- White line neutral (pigtail) must be connected to the panel neutral for the device to function
- [Learn More About Circuit Breakers Here in our Buying Guide.](#)

Specifications

AIC Rating: 10

Breaker Type: Standard

Connection Type: Pigtail

Interruption Type: GFCI

Maximum Amperage (A): 20 A

Mounting Type: Plug-On

Number of Poles: Single

Number of Spaces: 0

Pack Size: 1

Product Weight (lb.): .50 lb

Returnable: 90-Day

Series Type: Not Specified

Trip Unit: Electronic

Voltage (V): 120 V

Certifications and Listings: UL Listed

Manufacturer Warranty: Standard

Product Depth (in.): 1.5 in

Product Height (in.): 6.5 in

Product Width (in.): 6.75 in

Product Information

Internet # 206965288

Model # US2:QF120AP

Quantity: 1



<https://www.auctionhubtexas.com/>